## REZOLIN, LLC Safety Data Sheet 9908 Black Part A

## **SECTION 1: Identification**

## 1.1 Product identifier

	Product name	9908 Black Part A	
	Product number Brand Substance name	9908A A+B® Epoxy Putty Mixture	
1.2	Other means of identification Epoxy Putty, clay like appearance and consistency		
1.3	Recommended use of the chemical and restrictions on use General repair putty Pool leak /crack repair putty No restricted uses known		
1.4	Supplier's details		
	Name Address	Rezolin, LLC 131 Business Center Dr Bldg A Unit 7 Ormond Beach, Florida 32174 United States	
	Telephone Fax email	386-677-8238 386-677-9072 info@rezolin.com	
	National contact		
	Name Address	Tony Dellinger 131 Business Center Dr Bldg A Unit 7 Ormond Beach, Florida 32174 United States	
	Telephone Fax email	386-677-8238 386-677-9072 info@rezolin.com	
1.5	Emergency phone number(s)		

386-677-8238

## **SECTION 2: Hazard identification**

## General hazard statement

Eye irritant Can cause skin irritation

Harmful if swallowed, irritating to mouth, throat and stomach May cause allergic skin reaction

### 2.1 Classification of the substance or mixture

## GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Eye damage/irritation (chapter 3.3), Cat. 2A
- Sensitization, skin (chapter 3.4), Cat. 1
- Skin corrosion/irritation (chapter 3.2), Cat. 2

### 2.2 GHS label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s) H315 H317 H319	Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation
Precautionary statement(s)	
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water and soap
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P333+P313	If skin irritation or a rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to

# 2.3 Other hazards which do not result in classification None known

Statement regarding ingredients of unknown toxicity No data available.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Substance name: Mixture

Other names / synonyms: Epoxy Putty

## Components

Component	Concentration
EPOXYRESIN, reaction product: BISPHENOL-A(EPICHLOROHYDR	IN), average molecule wei (CAS no.: 25068-38-6; EC no.:
500-033-5; Index no.: 603-074-00-8)	>= 5 - < 20 % (Weight)

CLASSIFICATIONS: Eye damage/irritation (chapter 3.3), Cat. 2; Skin corrosion/irritation (chapter 3.2), Cat. 2; Sensitization, skin (chapter 3.4), Cat. 1; Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 2. HAZARDS: H315 - Causes skin irritation; H317 - May cause an allergic skin reaction; H319 - Causes serious eye irritation; H411 - Toxic to aquatic life with long lasting effects.		
Calcined Kaolin Clay (CAS no.: 1332-58-7)	> 5 - < 25 % (Weight)	
CLASSIFICATIONS: No data available. HAZARDS: No data available.		
TALC powder (CAS no.: 14807-96-6; EC no.: 238-877-9)	> 1 - < 10 % (Weight)	
CLASSIFICATIONS: No data available. HAZARDS: No data available.		
Carbon black (airborne, unbound particles of respirable size) (CAS no.: 1333-86-4)	> 1 - < 10 %	
CLASSIFICATIONS: No data available. HAZARDS: No data available.		

### Trade secret statement (OSHA 1910.1200(i))

Exact concentration of chemicals used withheld due to trade secrets.

## **SECTION 4: First-aid measures**

### 4.1 Description of necessary first-aid measures

General advice	Show this Safety Data Sheet to the doctor in attendance in case of emergency.	
If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration.	
In case of skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists. Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician	
In case of eye contact	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.	
If swallowed	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if symptoms occur.	
Personal protective equipment for first-aid responders Provide a copy of this SDS to first aid responder		

## 4.2 Most important symptoms/effects, acute and delayed

Skin: Can cause skin irritation. May cause an allergic skin reaction Eye: Can cause serious eye irritation Ingestion: Irritating to mouth, throat and stomach

**4.3 Indication of immediate medical attention and special treatment needed, if necessary** Treat symptomatically

## **SECTION 5: Fire-fighting measures**

- **5.1** Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.
- 5.2 Specific hazards arising from the chemical Product is not considered flammable
- **5.3** Special protective actions for fire-fighters In case of burning material wear self contained breathing apparatus and protective clothing with full face shield.

## **Further information**

Flashpoint: 469F, 243C Hazardouus Combustion Products: Carbon Dioxide and Carbon Monoxide

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation. For personal protection see section 8.

## 6.2 Environmental precautions

See Section 12 for additional ecological information.

6.3 Methods and materials for containment and cleaning up Sweep up any excess product and put into appropriate container for disposal in accordance with local, state and federal regulations as a non-toxic waste.

### Reference to other sections

Avoid dust formation. Avoid breathing vapors, mist or gas. For personal protection see section 8.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Use in well ventilated area. Wear protective gloves and eye protection. Do not eat, drink or smoke while using this product. Wash hands after mixing product. Use dust mask if grinding, sanding or cutting cured product. Keep away from small children Keep away from pets

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry safe area above 50F and below 90F. Keep away from food and drink while mixing. Reseal opened packages in a tightly closed container.

Specific end use(s) Household general repairs

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### CAS: (not specified)

Soapstone

Cal/OSHA: See Annotated Z-3 PEL inhalation; NIOSH: See Annotated Z-3 REL inhalation; OSHA: See Annotated Z-3 ppm PEL inhalation; See Annotated Z-3 mg/m3 PEL inhalation

### CAS: 1333-86-4

### Carbon black

Cal/OSHA: 3.5 mg/m3 PEL inhalation; NIOSH: 3.5 mg/m3Ęwithout PAHs); when PAHs are present, NIOSH considers carbon black to be a potential occupational carcinogen., See Appendix A,bee Appendix C REL inhalation; OSHA: 3.5 mg/m3 PEL inhalation

## CAS: 14807-96-6

Silicates (less than 1% crystalline silica), Talc (containing no asbestos), respirable dust

Cal/OSHA: See Annotated Z-3 PEL inhalation; NIOSH: See Annotated Z-3 REL inhalation; OSHA: See Annotated Z-3 ppm PEL inhalation; See Annotated Z-3 mg/m3 PEL inhalation

## CAS: 25068-38-6

EPOXYRESIN, reaction product: BISPHENOL-A(EPICHLOROHYDRIN), average molecule wei

### 8.2 Appropriate engineering controls

Good ventilation should be used in genral use of mixing and applying product.

## 8.3 Individual protection measures, such as personal protective equipment (PPE)

**Eye/face protection** Wear eye/face protection where appropriate

### Skin protection

Wear protective gloves and clothing

### **Body protection**

Wear protective gloves/clothing Wear eye/face protection

### **Respiratory protection**

None required unless sanding, drilling or grinding cured product.

## Thermal hazards

No data available.

## Control banding approach

No data available.

### Environmental exposure controls Not applicable

## **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Semi solid, clay like texture
Odor	Mild nuetral
Odor threshold	No information available
рH	No data available
Melting point/freezing point	Not established
Initial boiling point and boiling range	No data available
Flash point	469F, 243C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	1.94
Solubility(ies)	Insoluble in water
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	>300F
Viscosity	No data available

Explosive properties Oxidizing properties

Other safety information No additional safety information

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

None under normal use conditions.

- **10.2 Chemical stability** Stable under recommended storage conditions
- 10.3 Possibility of hazardous reactions Will not occur
- **10.4 Conditions to avoid** None under normal use conditions.
- **10.5** Incompatible materials Strong acids, strong oxidizing agents
- **10.6 Hazardous decomposition products** None under normal storage and use conditions

## **SECTION 11: Toxicological information**

### Information on toxicological effects

Acute toxicity No data available, no hazards expected

Skin corrosion/irritation May cause skin irritation with prolonged contact

Serious eye damage/irritation Direct contact to the eyes may cause irritation

**Respiratory or skin sensitization** May cause skin irritation with prolonged contact. Not considered a respiratory irritant

Germ cell mutagenicity No specific data

Carcinogenicity No data available.

Reproductive toxicity No data available.

Summary of evaluation of the CMR properties No known effects or critical hazards

**STOT-single exposure** 

Not explosive No data available No specific data available

### **STOT-repeated exposure** No specific data available

Aspiration hazard Not an aspiration hazard

### Additional information

Component Information Chemical Name Oral LD50 Bisphenol A - Epichlorohydrin polymer 25068-38-6: = 11400 mg/kg (Rat) Carbon black 1333-86-4: >15400 mg/kg (Rat)

This product contains components in a non-respirable form. Inhalation of of listed components is unlikely to occur from exposure to this product.

## **SECTION 12: Ecological information**

**Toxicity** No data available.

Persistence and degradability Not biodegradable

**Bioaccumulative potential** Not biodegradable

Mobility in soil No data available.

## Results of PBT and vPvB assessment

No specific data available

### Other adverse effects

No known significant effects

## **SECTION 13: Disposal considerations**

#### Disposal of the product

This product as supplied is not a hazardous waste in accordance with Federal regulations (40 CFR 261)

### **Disposal of contaminated packaging**

Dispose of in accordance with all applicable local, state, federal and international regulations.

Waste treatment Not applicable

Sewage disposal Not applicable

Other disposal recommendations

Handle with proper hygiene practice. Refer to Sec 7 for protective measures.

## **SECTION 14: Transport information**

## DOT (US)

Not dangerous goods

### IMDG

Not dangerous goods

## ΙΑΤΑ

Not dangerous goods

## **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations specific for the product in question

#### New Jersey Right To Know Components Common name: TALC (NOT CONTAINING ASBESTOS FIBERS) CAS number: 14807-96-6

## Pennsylvania Right To Know Components Chemical name: Talc

CAS number: 14807-96-6

### New Jersey Right To Know Components

Common name: CARBON BLACK CAS number: 1333-86-4

## Pennsylvania Right To Know Components

Chemical name: Carbon black CAS number: 1333-86-4

### California Prop. 65 components

Chemical name: Carbon black (airborne, unbound particles of respirable size) CAS number: 1333-86-4 02/21/2003 - cancer

### 15.2 Chemical Safety Assessment

#### United States U.S. Federal regulations TSCA 8(a) PAIR: Siloxanes and Silicones, reaction products with silica TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): All components are listed or exempted. Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs): Not listed Clean Air Act Section 602 Class I Substances: Not listed Clean Air Act Section 602 Class II Substances: Not listed Clean Air Act Section 602 Class II Substances: Not listed CWA (Clean Water Act) (40 CFR 122.21 and 40 CFR 122.42): Not Listed SARA 302/304 Composition/information on ingredients: No products were found SARA 304 RQ: Not applicable SARA 311/312 Hazard Categories Acute Health Hazard: Yes

California Prop 65 This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm. (Talc, not containing asbestos fibers and crystalline silica, non-respirable)

International regulations Country(s) or region Inventory Name On inventory list (yes/no)\* Canada (DSL) Yes Australia (AICS) Yes

China (IECSC) Yes United States & Puerto Rico (TSCA) Yes

WHMIS: D2B

## **HMIS Rating**



**NFPA** Rating



## **SECTION 16: Other information**

## 16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Rezolin, LLC be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Rezolin, LLC has been advised of the possibility of such damages.

### 16.2 Preparation information

Rezolin, LLC March 1, 2017 Rev 1.0