

# Mr. Sticky's Underwater Glue Resin

## SAFETY DATA SHEET

### 1. Identification

|   |  |              |
|---|--|--------------|
| <b>Product identifier</b>                                     | <b>Mr. Sticky's Underwater Glue - Resin</b>                    |              |
| <b>Other means of identification</b>                          |  |              |
| <b>SKU#'s</b>   | 001327R, 001510R   |              |
| <b>Recommended use</b>  | Not available.   |              |
| <b>Recommended restrictions</b>                               | None known.  |              |
| <b>Manufacturer/Importer/Supplier/Distributor information</b> |  |              |
| <b>Manufacturer</b>   |  |              |
| <b>Company name</b>   | Advanced Adhesion Inc.   |              |
| <b>Address</b>  | 8004 California Avenue<br>Fair Oaks, Ca 95628<br>United States |              |
| <b>Telephone</b>  | Customer Service   | 916-961-4700 |
| <b>Website</b>  | <a href="http://www.mrstickys.com">www.mrstickys.com</a>       |              |
| <b>E-mail</b>   | <a href="mailto:info@mrstickys.com">info@mrstickys.com</a>     |              |
| <b>Contact person</b>   | EHS Department   |              |
| <b>Emergency phone number</b>                                 | CHEMTREC   | 800-424-9300 |
|   | International  | 703-527-3887 |

### 2. Hazard(s) identification

|                              |  |            |
|------------------------------|--|------------|
| <b>Physical hazards</b>      | Not classified.  |            |
| <b>Health hazards</b>        | Skin corrosion/irritation                              | Category 2 |
|                              | Serious eye damage/eye irritation                      | Category 2 |
|                              | Sensitization, skin                                    | Category 1 |
| <b>Environmental hazards</b> | Hazardous to the aquatic environment, long-term hazard | Category 2 |
| <b>OSHA defined hazards</b>  | Not classified.  |            |
| <b>Label elements</b>        |  |            |



|  |   |  |
|--|---|--|
| <b>Signal word</b>                               | Warning   |  |
| <b>Hazard statement</b>                          | Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.   |  |
| <b>Precautionary statement</b>                   |   |  |
| <b>Prevention</b>                                | Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear eye/face protection. Wear protective gloves.  |  |
| <b>Response</b>                                  | If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. |  |
| <b>Storage</b>                                   | Store away from incompatible materials.   |  |
| <b>Disposal</b>                                  | Not available.  |  |
| <b>Hazard(s) not otherwise classified (HNOC)</b> | None known.   |  |
| <b>Supplemental information</b>                  | % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.  |  |

### 3. Composition/information on ingredients

#### Mixtures

| Chemical name  | Common name and synonyms | CAS number | %       |
|--|--------------------------|------------|---------|
| Epoxy Resin:--reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin) |                          | 25068-38-6 | 30 - 60 |
| DINONYLPHENOL, BRANCHED  |                          | 84962-08-3 | 10 - 30 |
| Butylated bisphenol A epoxy resin  |                          | 71033-08-4 | 5 - 10  |
| Crystalline SiO <sub>2</sub> (Quartz)  |                          | 14808-60-7 | 0.1 - 1 |
| Other components below reportable levels   |                          |            | > 15    |

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

|   |  |
|---|--|
| <b>Inhalation</b>   | Move to fresh air. Call a physician if symptoms develop or persist.  |
| <b>Skin contact</b>   | Remove contaminated clothing. Wash off with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention. For minor skin contact, avoid spreading material on unaffected skin.                        |
| <b>Eye contact</b>  | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.                                |
| <b>Ingestion</b>  | Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.  |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Irritation of eyes and mucous membranes. May cause allergic skin reaction.   |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically.   |
| <b>General information</b>  | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Wash contaminated clothing before reuse. |

#### 5. Fire-fighting measures

|  |   |
|--|---|
| <b>Suitable extinguishing media</b>                                  | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).                      |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.                        |
| <b>Specific hazards arising from the chemical</b>                    | During fire, gases hazardous to health may be formed.   |
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| <b>Fire fighting equipment/instructions</b>                          | Water runoff can cause environmental damage.  |
| <b>General fire hazards</b>  | No unusual fire or explosion hazards noted.   |

#### 6. Accidental release measures

|  |  |
|--|--|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate personal protective equipment. Do not touch or walk through spilled material. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.                  |
| <b>Methods and materials for containment and cleaning up</b>               | Stop the flow of material, if this is without risk. Collect spillage. Prevent product from entering drains. Following product recovery, flush area with water.   |
| <b>Environmental precautions</b>   | Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. |

#### 7. Handling and storage

|   |  |
|---|--|
| <b>Precautions for safe handling</b>                                | Avoid contact with skin. Avoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Keep container tightly closed. Store in a cool, dry place out of direct sunlight.  |

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-3 (29 CFR 1910.1000)

| Components  | Type | Value                 | Form        |
|---|------|-----------------------|-------------|
| Crystalline SiO <sub>2</sub> (Quartz)<br>(CAS 14808-60-7) | TWA  | 0.3 mg/m <sup>3</sup> | Total dust. |
|   |      | 0.1 mg/m <sup>3</sup> | Respirable. |
|   |      | 2.4 mppcf             | Respirable. |

#### US. ACGIH Threshold Limit Values

| Components  | Type | Value                   | Form                 |
|---|------|-------------------------|----------------------|
| Crystalline SiO <sub>2</sub> (Quartz)<br>(CAS 14808-60-7) | TWA  | 0.025 mg/m <sup>3</sup> | Respirable fraction. |

#### US. NIOSH: Pocket Guide to Chemical Hazards

| Components  | Type | Value                  | Form             |
|---|------|------------------------|------------------|
| Crystalline SiO <sub>2</sub> (Quartz)<br>(CAS 14808-60-7) | TWA  | 0.05 mg/m <sup>3</sup> | Respirable dust. |

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Exposure guidelines

Occupational Exposure Limits are not relevant to the current physical form of the product.

### Appropriate engineering controls

Provide eyewash station.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear eye/face protection. Wear safety glasses with side shields (or goggles).

#### Skin protection

**Hand protection** Wear protective gloves.

**Other** Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

|  |                         |
|--|-------------------------|
| <b>Appearance</b>                              | Paste.                  |
| <b>Physical state</b>                          | Solid.                  |
| <b>Form</b>                                    | Paste.                  |
| <b>Color</b>                                   | White.                  |
| <b>Odor</b>                                    | Not available.          |
| <b>Odor threshold</b>                          | Not available.          |
| <b>pH</b>                                      | 7                       |
| <b>Melting point/freezing point</b>            | Not available.          |
| <b>Initial boiling point and boiling range</b> | Not available.          |
| <b>Flash point</b>                             | > 300.0 °F (> 148.9 °C) |
| <b>Evaporation rate</b>                        | Not available.          |
| <b>Flammability (solid, gas)</b>               | Not available.          |

### Upper/lower flammability or explosive limits

|                                       |                |
|---------------------------------------|----------------|
| <b>Flammability limit - lower (%)</b> | Not available. |
| <b>Flammability limit - upper (%)</b> | Not available. |
| <b>Explosive limit - lower (%)</b>    | Not available. |
| <b>Explosive limit - upper (%)</b>    | Not available. |

|  |                            |
|--|----------------------------|
| <b>Vapor pressure</b>                          | 0.00001 hPa estimated      |
| <b>Vapor density</b>                           | Not available.             |
| <b>Relative density</b>                        | Not available.             |
| <b>Solubility(ies)</b>                         |                            |
| <b>Solubility (water)</b>                      | Not available.             |
| <b>Partition coefficient (n-octanol/water)</b> | Not available.             |
| <b>Auto-ignition temperature</b>               | Not available.             |
| <b>Decomposition temperature</b>               | Not available.             |
| <b>Viscosity</b>                               | Not available.             |
| <b>Other information</b>                       |                            |
| <b>Density</b>                                 | 1.16 g/cm3 estimated       |
| <b>Flammability class</b>                      | Combustible IIIB estimated |
| <b>Specific gravity</b>                        | 1.16 estimated             |

## 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.   |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.                                   |
| <b>Conditions to avoid</b>                | Avoid temperatures exceeding the flash point.   |
| <b>Incompatible materials</b>             | Strong oxidizing agents.  |
| <b>Hazardous decomposition products</b>   | No hazardous decomposition products are known.  |

## 11. Toxicological information

### Information on likely routes of exposure

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Due to lack of data the classification is not possible.      |
| <b>Skin contact</b> | Causes skin irritation. May cause an allergic skin reaction. |
| <b>Eye contact</b>  | Causes serious eye irritation.                               |
| <b>Ingestion</b>    | Due to lack of data the classification is not possible.      |

**Symptoms related to the physical, chemical and toxicological characteristics** Irritant effects.

### Information on toxicological effects

|  |                                   |
|--|-----------------------------------|
| <b>Acute toxicity</b>                    | May cause allergic skin reaction. |
| <b>Skin corrosion/irritation</b>         | Causes skin irritation.           |
| <b>Serious eye damage/eye irritation</b> | Causes serious eye irritation.    |

### Respiratory or skin sensitization

|                                  |   |
|----------------------------------|---|
| <b>Respiratory sensitization</b> | Due to lack of data the classification is not possible. |
| <b>Skin sensitization</b>        | May cause an allergic skin reaction.                    |

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** Due to lack of data the classification is not possible.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Crystalline SiO<sub>2</sub> (Quartz) (CAS 14808-60-7) 1 Carcinogenic to humans.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

#### US. National Toxicology Program (NTP) Report on Carcinogens

Crystalline SiO<sub>2</sub> (Quartz) (CAS 14808-60-7) Known To Be Human Carcinogen.

**Reproductive toxicity** Due to lack of data the classification is not possible.

**Specific target organ toxicity - single exposure** Due to lack of data the classification is not possible.

**Specific target organ toxicity - repeated exposure** Due to lack of data the classification is not possible.

**Aspiration hazard** Due to lack of data the classification is not possible.

## 12. Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available for this product.

**Mobility in soil** Not available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

**UN number** UN3077

**UN proper shipping name** Environmentally hazardous substance, solid, n.o.s. (Epoxy Resin)

**Transport hazard class(es)**

**Class** 9

**Subsidiary risk** - III

**Packing group** Yes

**Environmental hazards** 9L

**ERG Code**

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

### Other information

**Passenger and cargo aircraft** Allowed.

**Cargo aircraft only** Allowed.

### IMDG

**UN number** UN3077

**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Epoxy Resin)

**Transport hazard class(es)**

**Class** 9

**Subsidiary risk** -

**Packing group** III

**Environmental hazards**

**Marine pollutant** No.

**EmS** F-A, S-F

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.


Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

IATA; IMDG



Marine pollutant



## 15. Regulatory information

### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Immediate Hazard - Yes  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

#### SARA 311/312 Hazardous chemical

No

#### SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

#### Safe Drinking Water Act (SDWA)

Not regulated.

## US state regulations

### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

### US. Massachusetts RTK - Substance List

Crystalline SiO<sub>2</sub> (Quartz) (CAS 14808-60-7)

### US. New Jersey Worker and Community Right-to-Know Act

Crystalline SiO<sub>2</sub> (Quartz) (CAS 14808-60-7)

### US. Pennsylvania Worker and Community Right-to-Know Law

Crystalline SiO<sub>2</sub> (Quartz) (CAS 14808-60-7)

### US. Rhode Island RTK

Not regulated.

### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Crystalline SiO<sub>2</sub> (Quartz) (CAS 14808-60-7)

Listed: October 1, 1988

## International Inventories

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | No                     |
| Canada                      | Domestic Substances List (DSL)   | No                     |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | Yes                    |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | No                     |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                       | Existing Chemicals List (ECL)  | No                     |
| New Zealand                 | New Zealand Inventory  | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | No                     |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** 01-10-2015

**Version #** 01

**HMIS® ratings**  
Health: 1  
Flammability: 1  
Physical hazard: 0

**NFPA ratings**  
Health: 1  
Flammability: 1  
Instability: 0

**Disclaimer**  
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

**Revision Information**  
Product and Company Identification: Product and Company Identification  
Composition / Information on Ingredients: Component Summary  
Physical & Chemical Properties: Multiple Properties  
Transport Information: Material Transportation Information  
Regulatory Information: United States